UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/708,260	02/20/2004	Nathan S. Abramson	085804-096702/CIP	2259
	7590 04/13/201 C/O GREENBERG T		EXAMINER	
MET LIFE BUILDING			MAI, KEVIN S	
200 PARK AVENUE NEW YORK, NY 10166			ART UNIT	PAPER NUMBER
			2456	
			MAIL DATE	DELIVERY MODE
			04/13/2010	PAPER

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

	Application No.	Applicant(s)		
	10/708,260	ABRAMSON ET AL.		
Office Action Summary	Examiner	Art Unit		
	KEVIN S. MAI	2456		
The MAILING DATE of this communication app Period for Reply	pears on the cover sheet with the c	orrespondence address		
A SHORTENED STATUTORY PERIOD FOR REPL' WHICHEVER IS LONGER, FROM THE MAILING D. - Extensions of time may be available under the provisions of 37 CFR 1.1 after SIX (6) MONTHS from the mailing date of this communication. - If NO period for reply is specified above, the maximum statutory period - Failure to reply within the set or extended period for reply will, by statute Any reply received by the Office later than three months after the mailing earned patent term adjustment. See 37 CFR 1.704(b).	ATE OF THIS COMMUNICATION (36(a). In no event, however, may a reply be time will apply and will expire SIX (6) MONTHS from the cause the application to become ABANDONE	l. lely filed the mailing date of this communication. (35 U.S.C. § 133).		
Status				
Responsive to communication(s) filed on <u>08 Jac</u> This action is FINAL . 2b) ☑ This 3) ☐ Since this application is in condition for alloward closed in accordance with the practice under Expression in the Expression in the practice under Expression in the practice under Expression in the practice under Expression in the Expression in the practice under Expression in the Expressi	s action is non-final. nce except for formal matters, pro			
Disposition of Claims				
4) Claim(s) 1-6 and 8-19 is/are pending in the ap 4a) Of the above claim(s) is/are withdra 5) Claim(s) is/are allowed. 6) Claim(s) 1-6 and 8-19 is/are rejected. 7) Claim(s) is/are objected to. 8) Claim(s) are subject to restriction and/o Application Papers 9) The specification is objected to by the Examine 10) The drawing(s) filed on is/are: a) accomposition and applicant may not request that any objection to the	wn from consideration. or election requirement. er. epted or b) objected to by the E			
Replacement drawing sheet(s) including the correct		, ,		
,	xammer. Note the attached Office	Action of form PTO-192.		
Priority under 35 U.S.C. § 119 12) Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f). a) All b) Some color None of: 1. Certified copies of the priority documents have been received. 2. Certified copies of the priority documents have been received in Application No 3. Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)). * See the attached detailed Office action for a list of the certified copies not received.				
Attachment(s) 1) Notice of References Cited (PTO-892) 2) Notice of Draftsperson's Patent Drawing Review (PTO-948) 3) Information Disclosure Statement(s) (PTO/SB/08) Paper No(s)/Mail Date 11/17/09.	4) Interview Summary Paper No(s)/Mail Da 5) Notice of Informal P 6) Other:	te		

Art Unit: 2456

DETAILED ACTION

1. This Office Action has been issued in response to Applicant's Request for Continued Examination filed January 8, 2010.

2. Claims 1-6, 8-12, 18 and 19 have been amended. Claims 1-6 and 8-19 are pending in the application.

Response to Arguments

- 3. Applicant's arguments filed January 8, 2010 have been fully considered but they are not persuasive.
- 4. Applicant's arguments with respect to claim 1 have been considered but they are not persuasive. Applicant argues Singal doe snot teach or suggest dynamically determining during retrieval of a content file a bandwidth of a network connection over which the content file is being retrieved. Examiner disagrees. The rejection was made with Singal and Vega-Garcia, it is seen that Vega-Garcia discloses measuring bandwidth during a session and accordingly it would be an obvious substitution of Singal's method of measuring bandwidth. Accordingly it is seen that the combination discloses such a feature.
- 5. Applicant further argues Singal's client is not the component that determines the size of the content. However, examiner argues that such an implementation is obvious. It is seen that the connection between the client and the server can reasonably be measured from either side and accordingly making a determination based on the bandwidth from either side would be obvious. Using either method would simply be a design choice as to whether the designer

Art Unit: 2456

wanted to put more load on the server for making these calculations or more load on the client's to distribute the calculations.

- 6. Applicant argues that Singal stores the content on edge servers as opposed to the client's. This argument is moot in view of the new grounds of rejections, however it is noted that such an implementation is reasonably obvious since edge servers are provided in such a way to a client to be reasonably considered local.
- 7. Applicant argues that Singal does not disclose retrieval of a remainder of a content file in response to the display of a retrieved portion of the content file. This argument is moot in view of the new grounds of rejection, however it is noted that this argument is not persuasive. It is seen that Singal performs its downloading in response to a user request for video content which is tied to display the content. Accordingly it is seen that the downloading is in response to this.
- 8. Applicant's arguments with respect to Mcternan have been considered but they moot in view of the new grounds of rejection.
- 9. Applicant's arguments with respect to Vega-Garcia have been considered but they are not persuasive. Applicant argues that Vega-Garcia does not cure the deficiencies of Singal.

 However, as argued above it is seen that Singal and Vega-Garcia disclose the bandwidth measurement module of applicant's invention.
- 10. Applicant's remaining arguments are the same as those recited above. Accordingly examiner argues the same responses used above.

Claim Objections

11. In view of the amendments made the pending claim objections have been withdrawn.

Art Unit: 2456

Claim Rejections - 35 USC § 112

12. The following is a quotation of the second paragraph of 35 U.S.C. 112:

The specification shall conclude with one or more claims particularly pointing out and distinctly claiming the subject matter which the applicant regards as his invention.

13. Claims 8 and 13 are rejected under 35 U.S.C. 112, second paragraph, as being indefinite for failing to particularly point out and distinctly claim the subject matter which applicant regards as the invention. It appears that claims 8 and 13 contradict a limitation of their respective independent claims. For example, claim 1 requires the download manager to retrieve a remainder of the content file in response to the presentation manager displaying the previously retrieved portion. However claim 8 would render this limitation obsolete if the remainder was retrieved prior to the displaying.

Claim Rejections - 35 USC § 103

- 14. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:
 - (a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.
- 15. The factual inquiries set forth in *Graham* v. *John Deere Co.*, 383 U.S. 1, 148 USPQ 459 (1966), that are applied for establishing a background for determining obviousness under 35 U.S.C. 103(a) are summarized as follows:
 - 1. Determining the scope and contents of the prior art.
 - 2. Ascertaining the differences between the prior art and the claims at issue.
 - 3. Resolving the level of ordinary skill in the pertinent art.

- 4. Considering objective evidence present in the application indicating obviousness or nonobviousness.
- 16. This application currently names joint inventors. In considering patentability of the claims under 35 U.S.C. 103(a), the examiner presumes that the subject matter of the various claims was commonly owned at the time any inventions covered therein were made absent any evidence to the contrary. Applicant is advised of the obligation under 37 CFR 1.56 to point out the inventor and invention dates of each claim that was not commonly owned at the time a later invention was made in order for the examiner to consider the applicability of 35 U.S.C. 103(c) and potential 35 U.S.C. 102(e), (f) or (g) prior art under 35 U.S.C. 103(a).
- 17. Claims 1-6, 8-13 and 16-19 rejected under 35 U.S.C. 103(a) as being unpatentable over Us Pub. No. 2004/0148634 to Arsenault et al. (hereinafter "Arsenault") and further in view of US Pat. No. 6859840 to Singal et al. (hereinafter "Singal") and further in view of US Pub. No. 2003/0016630 to Vega-Garcia et al. (hereinafter "Vega-Garcia).
- 18. **As to Claim 1,** Arsenault discloses a <u>client computer</u> comprising:
- a mass storage device (Paragraph [0047] of Arsenault discloses a local storage unit such as the video storage device 232 for storing video);
- a processor (Paragraph [0045] of Arsenault discloses a microcontroller);
- [a bandwidth measurement <u>module</u> executed by said processor for dynamically determining, during <u>transfer</u> of a content file <u>over a network</u>, a bandwidth of a network connection over which the content file is being retrieved];
- a download manager executed by said processor for retrieving, and storing in the mass storage device, a portion of the content file, [the download manager determining a size of

the portion to retrieve in response to the determination made by the bandwidth measurement module (Paragraph [0074] of Arsenault discloses a video program being selected and a first segment of the video program is received and stored. Typically, the time length of the pre-stored video program material segment is equal to the rebroadcast interval); and a presentation manager executed by said processor for retrieving the portion of the content file from mass storage and displaying the portion with a media player application (Paragraph [0075] of Arsenault discloses when the user request VOD service, the pre-stored segment is retrieved for presentation to the subscriber),

wherein the download manager retrieves a remainder of the content file in response to the presentation manager displaying the retrieved portion of the content file (Paragraph [0011] of Arsenault discloses once the user demands VOD playback, the pre-stored video segment is played back to the user, while the remaining subsequent segments of the video program are received and recorded in parallel).

Arsenault does not explicitly disclose a bandwidth measurement module executed by said processor for ... determining, during transfer of a content file over a network, a bandwidth of a network connection over which the content file is being retrieved and the download manager determining a size of the portion to retrieve in response to the determination made by the bandwidth measurement module

However, Singal discloses this. Figure 5, column 6 lines 50 – 67, and column 7 lines 1 – 20 of Singal disclose querying the available bandwidth (step 158) and then computing a prefix size according to this bandwidth (step 160). Then the system begins to load data until the size of the data is greater than or equal to the calculated prefix size. Thus it is seen that during the

retrieval of the prefix the bandwidth is being measured. It is noted that Singal discloses the measurement of the prefix based on bandwidth in the scenario where the file is unavailable on the edge server at the time of a request. However Singal also discloses preloading prefixes on the edge server prior to a request. Although it is not explicitly disclosed to measure the size of the preloaded prefix based on the bandwidth, it would be obvious to apply the same logic used for the scenario in which the file is unavailable to calculate these prefix sizes. This idea of using the bandwidth for the preloaded prefixes is further supported in Singal in column 5 lines 55 – 65 which states the prefix is distributed to the edge server wherein the prefix size can be determined manually or automatically based on network capacity and/or other conditions. This is read to imply the usage of bandwidth measurement is used to determine the amount sent. Additionally, while Singal discloses the measurement to occur from the server it is seen that it would be an obvious variant for the client to perform this function as well. Since the measurement would be substantially the same from either side of the connection it is seen that such a variant would be simple substitution of one known element for another.

It would have been obvious to one of ordinary skill in the art at the time of invention to combine the media distribution system as disclosed by Arsenault, with bandwidth measurements to determine a prefix as disclosed by Singal. One of ordinary skill in the art would have been motivated to combine to apply a known technique to a known device. Paragraph [0074] of Arsenault discloses the time length of the pre-stored video program material segment is equal to the rebroadcast interval. This allows all of the subsequent time segments of the video program to be recorded while the pre-stored video program segment is played back for viewing.

Accordingly it is seen that Arsenault suggests having somehow determined a pre-stored segment

size such that the latter segments can be recorded. Thus it would have been obvious to implement Singal's system for determining such a size.

Arsenault-Singal does not explicitly disclose the bandwidth measurement occurring **dynamically** during transfer of the content file.

However, Vega-Garcia discloses this. Paragraph [0035] of Vega-Garcia discloses periodically sending dummy packets along with control packets to provide persistent proving of the network. This provides a way of persistently approximating the bandwidth capacity between devices engaged in the session

It would have been obvious to one of ordinary skill in the art at the time of invention to combine media distribution system as disclosed by Arsenault-Singal, with having the bandwidth measurement be done persistently as disclosed by Vega-Garcia. One of ordinary skill in the art would have been motivated to combine improve the accuracy of the measurement. Using the persistent bandwidth measurement process in place of Singal's measurement process is seen to be simple substitution of one known element for another to obtain predictable results. Both measurement processes were well known in the art at the time of invention and as such would be obvious to use them interchangeably for their known benefits.

19. As to Claim 2, Arsenault-Singal-Vega-Garcia discloses the <u>client computer</u> of claim 1 wherein the bandwidth measuring <u>module</u> makes a second determination of the bandwidth of the network connection over which the content file is being retrieved, and the download manager responsive to the second determination establishes a second size for the portion of the content file to retrieve (Figure 5, column 6 lines 50 - 67, and column 7 lines 1 - 20 of

Singal disclose a scenario in which not enough of a prefix has been cached at the edge server. This initial prefix is the prefix that would have been calculated in claim 1. When a video is requested the bandwidth needed to playback the video smoothly is calculated based on the current prefix size and the size of the whole file (step 170). It then measures the bandwidth to see if enough is available (step 172). If not enough bandwidth is available it goes onto steps 158 and 160 which involve measuring the bandwidth and computing a new prefix size. This is seen to be the same as a second bandwidth determination establishing a second size of the content file).

Examiner recites the same rationale to combined used in claim 1.

20. As to Claim 3, Arsenault-Singal-Vega-Garcia discloses the client computer of claim 1 wherein the bandwidth measurement module uses a timer data value, a total size of the portion, and a current progress of the retrieval of the portion to determine when the download manager has downloaded a sufficient portion of the content file such that the download manager would be able to download the remainder of the data file before the player application finishes playing the portion of the content file from mass storage (Figure 5, column 6 lines 50 - 67, and column 7 lines 1 - 20 of Singal disclose computing the prefix size in such a fashion such that starvation is avoided (step 160). The formula used is p' = T(1 - R/B) where p' is the prefix size calculated to be downloaded, T is the total size of the file, B is the file bit rate, and R is the transfer rate of the file. Then in steps 162 and 164 data (d) is loaded until d is $\geq p'$. Thus the two rates, R and B, are seen to be equivalent to the timer data value, the total size is considered in T, and the current progress is seen to be the same as d).

Art Unit: 2456

Examiner recites the same rationale to combined used in claim 1.

21. **As to Claim 4,** Arsenault-Singal-Vega-Garcia discloses the <u>client computer</u> of claim 1 wherein the bandwidth measurement <u>module</u> comprises a timer (Paragraph [0027] of Vega-Garcia discloses utilizing time between packets to determine bandwidth. This is seen to be using a timer).

Examiner recites the same rationale to combine used in claim 1.

22. **As to Claim 5,** Arsenault-Singal-Vega-Garcia discloses the <u>client computer</u> of claim 1 wherein the bandwidth measurement <u>module</u> and the download manager comprise a single process (Figure 5, column 6 lines 50 – 67, and column 7 lines 1 – 20 of Singal disclose measuring the bandwidth in order to load the correct amount of data. This is seen to be having the bandwidth measurement and downloading happening within a single process).

Examiner recites the same rationale to combined used in claim 1.

23. **As to Claim 6,** Arsenault-Singal-Vega-Garcia discloses **the <u>client computer</u> of claim 1.** Arsenault-Singal-Vega-Garcia does not explicitly disclose **wherein the download manager comprises a thread process.**

However it would have been obvious to have Arsenault-Singal-Vega-Garcia perform this limitation. Making a program a thread process is a well-known and thoroughly documented idea. Threaded processes have the advantage that they can perform several tasks concurrently without the extra overhead needed to create a new process. Since making a program into a

Art Unit: 2456

threaded process would tend to make it faster to execute it would be obvious to one of ordinary skill in the art at the time of invention to improve the download manager by making it a threaded process.

24. **As to Claim 8,** Arsenault-Singal-Vega-Garcia discloses the <u>client computer</u> of claim 1 wherein the download manager continues retrieving the remainder of the content file prior to the presentation manager displaying the portion of the content file from mass storage (Figure 5, column 6 lines 50 – 67, and column 7 lines 1 – 20 of Singal disclose a scenario where the file is already fully available. This inherently discloses the idea of retrieving the rest of the file prior to display. However it is further shown that even in the scenario where the file has not already been fully downloaded Singal states the steps 166 and 168 (loading the suffix and streaming) can happen either sequentially in any order or simultaneously. Thus it is seen that loading the suffix before streaming is supported).

Examiner recites the same rationale to combined used in claim 1.

25. **As to Claim 9,** Arsenault-Singal-Vega-Garcia discloses the <u>client computer</u> of claim 1 wherein the presentation manager comprises a Windows Media Player application (Column 6 lines 20 – 25 of Singal discloses using Windows Media Server to provide the streaming media. This would imply the usage of the Window Media Player on the client side).

Examiner recites the same rationale to combined used in claim 1.

Application/Control Number: 10/708,260

Art Unit: 2456

26. As to Claim 10, Arsenault discloses a method for efficiently downloading a page of

Page 12

broadband content including at least one content file, the method comprising the steps of:

(a) retrieving by a download manager executed by a processor of a client computer, a

content file (Paragraph [0074] of Arsenault discloses a video program being selected and a first

segment of the video program is received and stored. Typically, the time length of the pre-stored

video program material segment is equal to the rebroadcast interval);

[(b) dynamically determining, by a bandwidth measurement module executed by said

processor and during transfer of the content file over a network, a bandwidth of a network

connection over which the content file is being retrieved];

(c) determining, by the download manager, a size of a portion of the content file to retrieve

[in response to the bandwidth determination by the bandwidth measurement module]

(Paragraph [0074] of Arsenault discloses a video program being selected and a first segment of

the video program is received and stored. Typically, the time length of the pre-stored video

program material segment is equal to the rebroadcast interval);

(d) terminating, by the download manager, retrieval of the content file upon receiving the

determined size of the portion of the content file (Paragraph [0074] of Arsenault discloses a

video program being selected and a first segment of the video program is received and stored.

Typically, the time length of the pre-stored video program material segment is equal to the

rebroadcast interval);

(e) displaying, with a media player application executing on the client computer, the

retrieved portion of the content file (Paragraph [0075] of Arsenault discloses when the user

request VOD service, the pre-stored segment is retrieved for presentation to the subscriber); and

Art Unit: 2456

(f) retrieving, by the client computer in response to step (e), a remainder of the content file (Paragraph [0011] of Arsenault discloses once the user demands VOD playback, the pre-stored video segment is played back to the user, while the remaining subsequent segments of the video program are received and recorded in parallel).

Arsenault does not explicitly disclose dynamically determining, by a bandwidth measurement module executed by said processor and during transfer of the content file over a network, a bandwidth of a network connection over which the content file is being retrieved and determining in response to the bandwidth determination by the bandwidth measurement module

However, Singal discloses this. Figure 5, column 6 lines 50 – 67, and column 7 lines 1 – 20 of Singal disclose querying the available bandwidth (step 158) and then computing a prefix size according to this bandwidth (step 160). Then the system begins to load data until the size of the data is greater than or equal to the calculated prefix size. Thus it is seen that during the retrieval of the prefix the bandwidth is being measured. It is noted that Singal discloses the measurement of the prefix based on bandwidth in the scenario where the file is unavailable on the edge server at the time of a request. However Singal also discloses preloading prefixes on the edge server prior to a request. Although it is not explicitly disclosed to measure the size of the preloaded prefix based on the bandwidth, it would be obvious to apply the same logic used for the scenario in which the file is unavailable to calculate these prefix sizes. This idea of using the bandwidth for the preloaded prefixes is further supported in Singal in column 5 lines 55 – 65 which states the prefix is distributed to the edge server wherein the prefix size can be determined manually or automatically based on network capacity and/or other conditions. This is read to

Page 14

imply the usage of bandwidth measurement is used to determine the amount sent. Additionally, while Singal discloses the measurement to occur from the server it is seen that it would be an obvious variant for the client to perform this function as well. Since the measurement would be substantially the same from either side of the connection it is seen that such a variant would be simple substitution of one known element for another.

Examiner recites the same rationale to combine used in claim 1.

Arsenault-Singal does not explicitly disclose the bandwidth measurement occurring **dynamically** during transfer of the content file.

However, Vega-Garcia discloses this. Paragraph [0035] of Vega-Garcia discloses periodically sending dummy packets along with control packets to provide persistent proving of the network. This provides a way of persistently approximating the bandwidth capacity between devices engaged in the session

Examiner recites the same rationale to combined used in claim 1.

27. As to Claim 11, Arsenault-Singal-Vega-Garcia discloses the method of claim 10 further comprising making by the bandwidth measurement module, a second determination of the bandwidth of a network connection over which the content file is retrieved during the transfer of the content file over the network and determining, by the download manager in response to the bandwidth measurement module, a second size of the portion of the content file to retrieve (Figure 5, column 6 lines 50 – 67, and column 7 lines 1 – 20 of Singal disclose a scenario in which not enough of a prefix has been cached at the edge server. This initial prefix is the prefix that would have been calculated in claim 1. When a video

Art Unit: 2456

is requested the bandwidth needed to playback the video smoothly is calculated based on the current prefix size and the size of the whole file (step 170). It then measures the bandwidth to see if enough is available (step 172). If not enough bandwidth is available it goes onto steps 158 and 160 which involve measuring the bandwidth and computing a new prefix size. This is seen to be the same as a second bandwidth determination establishing a second size of the content file).

Examiner recites the same rationale to combined used in claim 1.

28. As to Claim 12, Arsenault-Singal-Vega-Garcia discloses the method of claim 10 further comprising using, by the bandwidth measurement module, a timer data value, a total size of the retrieval, and a current progress of the portion retrieved to determine when the download manager has downloaded a sufficient portion of the content file such that the download manager is able to download the remainder of the data file before the player application finishes playing the portion of the content file from mass storage (Figure 5, column 6 lines 50 - 67, and column 7 lines 1 - 20 of Singal disclose computing the prefix size in such a fashion such that starvation is avoided (step 160). The formula used is p' = T(1 - R/B) where p' is the prefix size calculated to be downloaded, T is the total size of the file, B is the file bit rate, and R is the transfer rate of the file. Then in steps 162 and 164 data (d) is loaded until d is $\geq p'$. Thus the two rates, R and B, are seen to be equivalent to the timer data value, the total size is considered in T, and the current progress is seen to be the same as d).

Examiner recites the same rationale to combined used in claim 1.

Art Unit: 2456

29. **As to Claim 13,** Arsenault-Singal-Vega-Garcia discloses the method of claim 10 wherein the download manager continues retrieving the remainder of the content file prior to the presentation manager displaying the portion of the content file from mass storage (Figure 5, column 6 lines 50 – 67, and column 7 lines 1 – 20 of Singal disclose a scenario where the file is already fully available. This inherently discloses the idea of retrieving the rest of the file prior to display. However it is further shown that even in the scenario where the file has not already been fully downloaded Singal states the steps 166 and 168 (loading the suffix and streaming) can happen either sequentially in any order or simultaneously. Thus it is seen that loading the suffix before streaming is supported).

Examiner recites the same rationale to combined used in claim 1.

30. **As to Claim 16,** Arsenault-Singal-Vega-Garcia discloses **the method of claim 10 further comprising the step of displaying with a media player application the remainder of the content file** (Column 6 lines 45 – 50 of Singal disclose using QuickTime to play the video stream).

Examiner recites the same rationale to combined used in claim 1.

31. **As to Claim 17,** Arsenault-Singal-Vega-Garcia discloses **the method of claim 10 wherein step (e) and step (f) occur substantially concurrently** (Paragraph [0011] of Arsenault discloses once the user demands VOD playback, the pre-stored video segment is played back to the user, while the remaining subsequent segments of the video program are received and recorded in parallel).

Application/Control Number: 10/708,260

Art Unit: 2456

Page 17

32. As to Claim 18, Arsenault discloses a computer readable program means operating on an article of manufacture and containing instructions executable by a client computer for performing a method for efficiently downloading a page of broadband content including a first content file and a second content file, the method comprising: retrieving a content file (Paragraph [0074] of Arsenault discloses a video program being selected and a first segment of the video program is received and stored. Typically, the time length of the pre-stored video program material segment is equal to the rebroadcast interval); [dynamically determining, bv a bandwidth measurement module during transfer of the content file over a network, a bandwidth of a network connection over which the content file is being retrieved];

determining a size of a portion of the content file to retrieve [in response to the bandwidth measurement determination] (Paragraph [0074] of Arsenault discloses a video program being selected and a first segment of the video program is received and stored. Typically, the time length of the pre-stored video program material segment is equal to the rebroadcast interval); terminating, by a download manager, retrieval of the content file upon receiving of the determined size of the portion of the content file (Paragraph [0074] of Arsenault discloses a video program being selected and a first segment of the video program is received and stored. Typically, the time length of the pre-stored video program material segment is equal to the rebroadcast interval);

displaying with a media player application the retrieved portion of the content file

(Paragraph [0075] of Arsenault discloses when the user request VOD service, the pre-stored segment is retrieved for presentation to the subscriber); and

retrieving, in response to displaying with a media player application the retrieved portion of the content file, the remainder of the content file (Paragraph [0011] of Arsenault discloses once the user demands VOD playback, the pre-stored video segment is played back to the user, while the remaining subsequent segments of the video program are received and recorded in parallel).

Arsenault does not explicitly disclose dynamically determining, by a bandwidth

measurement module during transfer of the content file over a network, a bandwidth of a

network connection over which the content file is being retrieved and determining in

response to the bandwidth measurement determination

However, Singal discloses this. Figure 5, column 6 lines 50 – 67, and column 7 lines 1 – 20 of Singal disclose querying the available bandwidth (step 158) and then computing a prefix size according to this bandwidth (step 160). Then the system begins to load data until the size of the data is greater than or equal to the calculated prefix size. Thus it is seen that during the retrieval of the prefix the bandwidth is being measured. It is noted that Singal discloses the measurement of the prefix based on bandwidth in the scenario where the file is unavailable on the edge server at the time of a request. However Singal also discloses preloading prefixes on the edge server prior to a request. Although it is not explicitly disclosed to measure the size of the preloaded prefix based on the bandwidth, it would be obvious to apply the same logic used for the scenario in which the file is unavailable to calculate these prefix sizes. This idea of using

the bandwidth for the preloaded prefixes is further supported in Singal in column 5 lines 55 – 65 which states the prefix is distributed to the edge server wherein the prefix size can be determined manually or automatically based on network capacity and/or other conditions. This is read to imply the usage of bandwidth measurement is used to determine the amount sent. Additionally, while Singal discloses the measurement to occur from the server it is seen that it would be an obvious variant for the client to perform this function as well. Since the measurement would be substantially the same from either side of the connection it is seen that such a variant would be simple substitution of one known element for another.

Examiner recites the same rationale to combine used in claim 1.

Arsenault-Singal does not explicitly disclose the bandwidth measurement occurring **dynamically** during transfer of the content file.

However, Vega-Garcia discloses this. Paragraph [0035] of Vega-Garcia discloses periodically sending dummy packets along with control packets to provide persistent proving of the network. This provides a way of persistently approximating the bandwidth capacity between devices engaged in the session

Examiner recites the same rationale to combined used in claim 1.

33. **As to Claim 19,** Arsenault discloses a <u>client computer</u> comprising:

a mass storage device (Paragraph [0047] of Arsenault discloses a local storage unit such as the video storage device 232 for storing video);

a processor (Paragraph [0045] of Arsenault discloses a microcontroller);

[a bandwidth measurement <u>module</u> executed by said processor for dynamically determining, prior to retrieval of a content file, a bandwidth of a network connection over which the content file will be retrieved];

Page 20

a download manager executed by said processor for retrieving, and storing in the mass storage device, a portion of the content file, [the download manager determining a size of the portion to retrieve in response to the determination made by the bandwidth measurement module] (Paragraph [0074] of Arsenault discloses a video program being selected and a first segment of the video program is received and stored. Typically, the time length of the pre-stored video program material segment is equal to the rebroadcast interval): and a presentation manager executed by said processor for retrieving the portion of the content file from mass storage and displaying the portion with a media player application (Paragraph [0075] of Arsenault discloses when the user request VOD service, the pre-stored segment is retrieved for presentation to the subscriber),

wherein the download manager retrieves a remainder of the content file in response to the presentation manager displaying the retrieved portion of the content file (Paragraph [0011] of Arsenault discloses once the user demands VOD playback, the pre-stored video segment is played back to the user, while the remaining subsequent segments of the video program are received and recorded in parallel).

Arsenault does not explicitly disclose a bandwidth measurement module executed by said processor for dynamically determining, prior to retrieval of a content file, a bandwidth of a network connection over which the content file will be retrieved and the download manager

Art Unit: 2456

determining a size of the portion to retrieve in response to the determination made by the bandwidth measurement <u>module</u>

However, Singal discloses this. Figure 5, column 6 lines 50 - 67, and column 7 lines 1 -20 of Singal disclose querying the available bandwidth (step 158) and then computing a prefix size according to this bandwidth (step 160). Then the system begins to load data until the size of the data is greater than or equal to the calculated prefix size. Thus it is seen that during the retrieval of the prefix the bandwidth is being measured. It is noted that Singal discloses the measurement of the prefix based on bandwidth in the scenario where the file is unavailable on the edge server at the time of a request. However Singal also discloses preloading prefixes on the edge server prior to a request. Although it is not explicitly disclosed to measure the size of the preloaded prefix based on the bandwidth, it would be obvious to apply the same logic used for the scenario in which the file is unavailable to calculate these prefix sizes. This idea of using the bandwidth for the preloaded prefixes is further supported in Singal in column 5 lines 55-65which states the prefix is distributed to the edge server wherein the prefix size can be determined manually or automatically based on network capacity and/or other conditions. This is read to imply the usage of bandwidth measurement is used to determine the amount sent. Additionally, while Singal discloses the measurement to occur from the server it is seen that it would be an obvious variant for the client to perform this function as well. Since the measurement would be substantially the same from either side of the connection it is seen that such a variant would be simple substitution of one known element for another.

Examiner recites the same rationale to combine used in claim 1.

Arsenault-Singal does not explicitly disclose the bandwidth measurement occurring **dynamically** during transfer of the content file.

However, Vega-Garcia discloses this. Paragraph [0035] of Vega-Garcia discloses periodically sending dummy packets along with control packets to provide persistent proving of the network. This provides a way of persistently approximating the bandwidth capacity between devices engaged in the session

Examiner recites the same rationale to combined used in claim 1.

- 34. Claim 14 is rejected under 35 U.S.C. 103(a) as being unpatentable over Arsenault-Singal-Vega-Garcia and further in view of U.S. Pub. No. 2004/0128343 to Mayer (hereinafter "Mayer").
- 35. As to Claim 14, Arsenault-Singal-Vega-Garcia discloses the method of claim 10. Arsenault-Singal-Vega-Garcia does not explicitly disclose wherein step (f) comprises retrieving, in response to step (e), the remainder of the content file from a peer-to-peer network.

However, Mayer discloses this. Paragraph [0047] of Mayer discloses that in another preferred embodiment, program segments A are shared by end-users, interconnected by broadband, through peer-to-peer technology.

It would have been obvious to one of ordinary skill in the art at the time the invention was made to combine the method of claim 10 disclosed by Arsenault-Singal-Vega-Garcia, with using a peer-to-peer network disclosed by Mayer. One of ordinary skill in the art at the time the

Art Unit: 2456

invention was made would have been motivated to combine in order to reduce the overhead of the provider and be able to more efficiently use their own bandwidth.

36. Claim 15 is rejected under 35 U.S.C. 103(a) as being unpatentable over Arsenault-Singal-Vega-Garcia and further in view of US Pub. No. 2003/0037331 to Lee (hereinafter "Lee").

37. **As to Claim 15,** Arsenault-Singal-Vega-Garcia discloses **the method of claim 10.** Arsenault-Singal-Vega-Garcia does not explicitly disclose **wherein step (t) comprises** retrieving, in response to step (e), the remainder of the content file from a multicast network.

However, Lee discloses this. Paragraphs [0008]-[0009] of Lee disclose a VOD system where users may first receive a dynamically initiated front portion of a video and then be merged into a pre-scheduled multicast.

It would have been obvious to one of ordinary skill in the art at the time of invention to combine the method of claim 10 as disclosed by Arsenault-Singal-Vega-Garcia, with using multicast as disclosed by Lee. One of ordinary skill in the art would have been motivated to combine to use simple substitution of one known element for another. Lee discloses a similarly VOD system as Arsenault and as such it would be obvious to utilized techniques of one in the other.

Conclusion

Any inquiry concerning this communication or earlier communications from the examiner should be directed to KEVIN S. MAI whose telephone number is (571)270-5001. The

examiner can normally be reached on Monday through Friday 7:30 - 5:00 EST.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's

supervisor, Rupal Dharia can be reached on (571)272-3880. The fax phone number for the

organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent

Application Information Retrieval (PAIR) system. Status information for published applications

may be obtained from either Private PAIR or Public PAIR. Status information for unpublished

applications is available through Private PAIR only. For more information about the PAIR

system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR

system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would

like assistance from a USPTO Customer Service Representative or access to the automated

information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

/Rupal D. Dharia/

Supervisory Patent Examiner, Art Unit

2400

/K. S. M./

Examiner, Art Unit 2456